

DAO Reg. No: 48/050

No: 1296/050

SWC Reg.



नेपाल महिला सामुदायिक सेवा केन्द्र

Nepal Women Community Service Center (NWCSC)

Ghorahi Sub metropolitan -15, Ghorahi Dang, Nepal

आपूतीकर्ताबाट सामाग्रीहरुको कोटेशन माग गर्ने सूचना !

(प्रथम पटक प्रकाशन प्रकाशन मिति २०८२/०८/०१ गते)

नेपाल महिला सामुदायिक सेवा केन्द्र दाडले **FAIRMED PRERANA** परियोजनाको लागी निम्न सामाग्री खरिद गर्न आवश्यक भएको हुदाँ आवश्यक कागजातसहित सूचना प्रकाशन भएको मितिले ७ दिनभित्र (२०८२/०८/०७) नेपाल महिला सामुदायिक सेवा केन्द्र घोराही तथा परियोजनाको फिल्ड कार्यालय मा पेस गर्नुहुन सम्बन्धित सबैका लागि यो सूचना प्रकाशन गरिएको छ। साथै रीत नपुगेको र म्याद नाघी आएको निवेदनहरू छनोटका लागि समावेश नहुने व्यहोरासमेत जानकारी गराइन्छ।

Laboratory Equipment

S.N	Equipment	Quantity	Brief Specification
1.	Microscope	3	- Binocular compound microscope with long-life LED light. - Infinity-corrected optics; 10× eyepiece, Plan objectives (4×, 10×, 40×, 100× oil). - Mechanical stage and Abbe condenser (NA 1.25). - Anti-fungal coating; sturdy and portable. - CE or USFDA certified; supplier must provide brochure and filled TSF.
2.	Measuring Cylinder (100 ml)	2	- Borosilicate glass, chemically resistant and durable (100ml). - Graduated markings for accurate measurement; stable base. - Laboratory liquid measurement.
3.	Measuring Cylinder (1000)	2	- Borosilicate glass, chemically resistant and durable (1000ml).

बि.गि.रि.

०१

कागजातकोष



	ml)		- Graduated markings for accurate measurement; stable base. - Laboratory liquid measurement.
4.	Water bath	1	- Digital water bath with stable, preset temperature control (room temp to 100°C, $\pm 1^\circ\text{C}$). - Stainless-steel, anti-corrosion chamber; includes tube holders. - Heating power approx. 600W; operates on 220–240V, 50Hz. - ISO 13485 & CE certified. - Includes installation, user training, and at least 2-year warranty. - Supplied with user manual and calibration certificate.
5.	Beaker (200 ml)	2	- Borosilicate glass, chemically resistant and durable (200 ml-60×95 mm) - Round, with clear graduations for accurate measurement; stable base. - Laboratory liquid measurement.
6.	Beaker (500 ml)	2	- Borosilicate glass, chemically resistant and durable (500 ml-60×95 mm) - Round, with clear graduations for accurate measurement; stable base. - Laboratory liquid measurement.
7.	Neubaur chamber	1	- Manual blood cell counting chamber with complete accessories. - Grid area: 9 mm², central square subdivided for precise counting; coverslip gap 0.1 mm. - Suitable for local storage and use; power required only for related equipment (220–240V, 50Hz). - ISO 13485 certified; CE/USFDA approved. - 1-year warranty with maintenance; installation/calibration by

राय पौडेल
 कोषाध्यक्ष



			qualified personnel.
8.	Surgical blade holder	3	- High-quality stainless steel, corrosion-resistant - Textured, non-slip handle for firm grip - Autoclavable; reusable - Smooth finishing, no sharp edges
9.	Surgical blade (10 no)	3	- High-grade carbon steel or stainless steel - CE certified - ISO 7740 compliant

Birthing Equipment

S.N	Equipment	Quantity	Brief Specification
1.	Perilight	2	- Infra-red peri-light for labour room and postpartum care. - AC mains 220–240V, 50Hz; lightweight and portable. - Adjustable lamp (up to 40°), On/Off switch, focus control; long-life lamp. - Includes all accessories; 3-metre power cable. - ISO 13485 certified; CE or USFDA approved. - Supplied pre-assembled with user and service manuals.
2.	Resuscitation table with warmer	3	- Maintains infant temperature at 37°C with manual & servo modes; PID temperature control. - Complete unit with sensor, bassinet, trolley, and standard accessories. - LED display; heater ≥600W, ±90° rotation; polycarbonate side panels; LED observation lamp. - Temp range 30–38°C, accuracy ±0.2°C; alarms for power, temperature, sensor, battery, heater & system failures. - Slide-out X-ray tray; Manual, Baby, Air modes; touch controls; 1-hour battery backup. - AC 220–240V, 50Hz, ≥3m cable.

By *[Signature]*
 Date *[Signature]*



			- ISO 13485 & CE/USFDA certified; includes user training, 1-year warranty, and manuals
3.	Glucometer	3	- Handheld glucometer with test strips using glucose dehydrogenase and gold electrode. - Fast reading (~5 sec) with small blood sample (~0.5 µL); memory for 500 results, 5 users. - Lightweight, battery-operated; includes all standard accessories. - Suitable for local climate; ISO 13485 & USFDA certified. - Supplier must provide full documentation, brochure, and completed TSF.
4.	Momopot	1	- Stainless-steel momo steaming pot used for steaming food items in health facilities, birthing centers, and kitchens. - Rust- and corrosion-resistant - 10–12 liters (standard hospital size)

तपसिल

आशयपत्र साथ संलग्न गनुपर्ने कागजातहरू :

१. फर्म दर्ता तथा नवीकरण प्रमाण-पत्रको प्रतिलिपि ।
२. स्थायी लेखा नम्बर (PAN) वा मूल्य अभिवृद्धि कर (VAT) दर्ता प्रमाण-पत्रको प्रतिलिपि ।
३. कर चुक्ता प्रमाणपत्रको प्रतिलिपि ।

अन्य थप जानकारी :

१. म्याद नाघी आएको आशयपत्र माथि कुनै कारवाही गरिने छैन ।
३. निवेदन छानबिन गरी स्वीकृत गर्ने वा नगर्ने सम्पूर्ण अधिकार संस्थामा निहित रहनेछ ।
४. सूचीकृत हुने निवेदन ई-मेलमार्फत् पनि पेस गर्न सकिनेछ ।
५. थप जानकारीको लागि फोन नं. : ०८२-५६९७६५, ई-मेल nwesc.dang@gmail.com

वि. १०२१

संयोजक
खरिद समिति